

AFFORDABLE  
LUXURY NOW



# OCTOLUX

PAINTS



Innovation in  
Every Drop  
of Colours...



PRODUCT  
CATALOG

Happiness  
on walls



AN ISO 9001:2015  
CERTIFIED COMPANY

## ABOUT US



Welcome to Octolux Paints, where colour meets innovation. We are inspired by the vibrant and colourful culture of the Indian subcontinent. At Octolux Paints, we understand the power of colour to transform spaces and inspire creativity. As a newly established paint manufacturing company in the Indian subcontinent, we bring 10 years of industry experience from across Asia. We are committed to transforming spaces with high-quality, sustainable, and vibrant paint solutions. We believe in delivering products that not only elevate the aesthetic appeal of any surface but also stand the test of time.

At Octolux Paints, we believe that every brushstroke is an opportunity to inspire creativity and bring visions to life. Whether it's for residential, commercial, or industrial use, we offer a wide range of paints designed to meet diverse needs. Our products are crafted using advanced technology, eco-friendly ingredients and rigorous quality control standards to ensure consistency and durability.

Our vision is to become a trusted leader in the paint industry, known for our commitment to excellence, customer satisfaction and environmental sustainability. We are driven by a passion for innovation and a dedication to providing our customers with the very best in colour, performance, and value.

Our mission is to lead the way in redefining the paint industry in Octolux Paints, blending tradition with modern innovation for a colourful future.

Thank you for choosing Octolux Paints, Together, let's add colour to the world.

## MANUFACTURING



At Octolux Paints, we take pride in our state-of-the-art manufacturing facilities, where innovation, quality, and precision come together to produce the finest paints and coatings for the Indian market. Our commitment to excellence begins at the very core of our operations & our advanced production facilities.

Located in a strategically designed space to meet both local and international standards, our manufacturing facilities are equipped with cutting-edge technology that ensures superior quality, consistency, and efficiency across every batch of paint produced. With skilled professionals, we are able to maintain rigorous quality control standards, guaranteeing that each product meets the high expectations of our customers. Our dedication to minimizing our environmental footprint is aligned with our mission to contribute to a cleaner, greener India.

Our facilities are designed to support a wide range of products, from decorative paints to industrial coatings, ensuring that we can meet the diverse needs of both residential and commercial markets. We continually invest in research and development to stay ahead of industry trends, introducing innovative solutions that deliver exceptional performance and durability.

At Octolux Paints, we are proud of our manufacturing capabilities and are dedicated to continually improving our processes to bring you the best in quality and value. Our facilities are the foundation of our promise to deliver outstanding paint products that transform spaces and inspire creativity.





## High Performance **DAMP PROOF** INTERIOR & EXTERIOR



### PRODUCT DESCRIPTION

OCTOLUX PAINTS DAMP-PROOF IS A HIGH-PERFORMANCE, ELASTOMERIC COATING DESIGNED TO CREATE AN IMPERVIOUS BARRIER AGAINST MOISTURE. IT PREVENTS WATER SEEPAGE, RISING DAMPNES, AND EFFLORESCENCE. ITS PRIMARY FUNCTION IS TO PROTECT STRUCTURAL INTEGRITY WHILE OFFERING LONG-LASTING EXTERIOR OR INTERIOR WALL DEFENSE.

**ELASTOMERIC PROPERTIES:** HIGHLY FLEXIBLE ACRYLIC POLYMERS ALLOW THE PAINT FILM TO STRETCH AND BRIDGE HAIRLINE STRUCTURAL CRACKS WITHOUT TEARING OR PEELING OVER TIME.

**ANTI-CARBONATION:** PROTECTS EXPOSED CONCRETE REINFORCEMENT BARS (RE-BARS) BY BLOCKING THE DIFFUSION OF CO<sub>2</sub> AND CHLORIDE IONS, PREVENTING INTERNAL RUST.



**EXCELLENT WATER REPELLENCE**



**SUPERIOR HIDING**



**ULTRA LOW VOC**



**CRACK BRIDGING ABILITY**



**AVAILABLE PACK SIZES**  
20LTR., 10LTR., 4.LTR., 1LTR.



# High Gloss

## **LUXURY** EMULSION

INTERIOR & EXTERIOR



### PRODUCT DESCRIPTION

OCTOLUX PAINTS HI-GLOSS LUXURY INTERIOR & EXTERIOR EMULSION IS A SPECIALLY FORMULATED PREMIUM ACRYLIC PAINT WITH 100% HI-GLOSS LUXURY EMULSION FOR DURABLE FINISH. IT ALSO CONTAINS SPECIAL ADDITIVES TO PREVENT ALGAL & FUNGAL GROWTH

### RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

### COVERAGE (On Smooth Primed Surface)

\*10+/-2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



EXCELLENT WATER  
REPELLENCE



SUPERIOR  
HIDING



EXCELLENT  
WASHABILITY



LOTUS EFFECT  
TECHNOLOGY



ULTRA  
LOW VOC



CRACK BRIDGING  
ABILITY



### AVAILABLE PACK SIZES

20LTR., 10LTR., 4.LTR., 1LTR.





# Royal Impression

## PREMIUM EMULSION

INTERIOR & EXTERIOR



### PRODUCT DESCRIPTION

OCTOLUX PAINTS ROYAL IMPRESSION PREMIUM EMULSION IS WATER BASED MANUFACTURED WITH ACRYLIC CO-POLYMER EMULSION FOR WALLS. IT IS VALUE FOR MONEY EMULSION WHICH PROVIDES A SMOOTH FINISH TO YOUR INTERIOR & EXTERIOR WALLS.

### RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

### COVERAGE (On Smooth Primed Surface)

\*10 +/- 2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



HIGH SHEEN  
FINISH



LOTUS EFFECT  
TECHNOLOGY



SILICON  
BOOST



ADVANCE ANTI  
FADE TECHNOLOGY



ULTRA  
LOW VOC



ANTI FUNGAL  
SHIELD



### AVAILABLE PACK SIZES

20LTR., 10LTR., 4.LTR., 1LTR.



# Xpressions WeatherCoat

## **EXTERIOR** EMULSION

**BEST QUALITY FINISH**



### PRODUCT DESCRIPTION

OCTOLUX PAINTS XPRESSION WEATHER COAT EXTERIOR EMULSION IS WATER BASED MANUFACTURED WITH ACRYLIC CO-POLYMER EMULSION FOR WALLS. IT IS VALUE FOR MONEY EMULSION WHICH PROVIDES A SMOOTH FINISH TO YOUR EXTERIOR WALLS.

### RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

### COVERAGE (On Smooth Primed Surface)

\*10 +/- 2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



DUST PROOF  
TECHNOLOGY



SUPERIOR  
HIDING



GOOD  
WASHABILITY



ADVANCE ANTI  
FADE TECHNOLOGY



LOW VOC



ANTI FUNGAL  
SHIELD



### AVAILABLE PACK SIZES

20LTR., 10LTR., 4.LTR., 1LTR.



# Aura**GLOW**

## **EXTERIOR EMULSION**

**BEST QUALITY FINISH**



### PRODUCT DESCRIPTION

OCTOLUX PAINTS AURAGLOW EXTERIOR EMULSION IS WATER BASED MANUFACTURED WITH ACRYLIC CO-POLYMER EMULSION FOR WALLS. IT IS VALUE FOR MONEY PRODUCT EMULSION WHICH PROVIDES A SMOOTH HI-GLOSS FINISH TO YOUR WALLS.

### RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

### COVERAGE (On Smooth Primed Surface)

\*10 +/- 2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



HIGH SHEEN  
FINISH



SUPERIOR  
HIDING



GOOD  
WASHABILITY



ADVANCE ANTI  
FADE TECHNOLOGY



LOW VOC



ANTI FUNGAL  
SHIELD



### AVAILABLE PACK SIZES

20LTR., 10LTR., 4.LTR., 1LTR.





# Premium

## **INTERIOR** EMULSION

BEST QUALITY FINISH



### PRODUCT DESCRIPTION

OCTOLUX PAINTS INTERIOR PREMIUM EMULSION IS SPECIALLY FORMULATED WATER BASED ACRYLIC EMULSION WHICH PROVIDES A HIGH SHEEN SMOOTH FINISH TO YOUR WALLS AND MAKING YOUR HOME MORE ATTRACTIVE.

### RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

### COVERAGE (On Smooth Primed Surface)

\*10 +/- 2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



HIGH SHEEN  
FINISH



SUPERIOR  
HIDING



GOOD  
WASHABILITY



ADVANCE ANTI  
FADE TECHNOLOGY



LOW VOC



ANTI FUNGAL  
SHIELD



### AVAILABLE PACK SIZES

20LTR., 10LTR., 4.LTR., 1LTR.

# Premium **EXTERIOR** **WALL PRIMER** BEST QUALITY FINISH



## PRODUCT DESCRIPTION

OCTOLUX PAINTS EXTERIOR WALL PRIMER IS SPECIALLY FORMULATED PREMIUM QUALITY ACRYLIC PRIMER WITH ALKALI AND EFFLORESCENCE RESISTANCE FOR APPLICATION ON MANSORY SURFACES BEFORE TOP COAT APPLICATION.

## RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

## COVERAGE (On Smooth Primed Surface)

\*10 +/- 2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



MOISTURE  
RESISTANCE



CRACK  
BRIDGING ABILITY



ANTI YELLOWING  
TECHNOLOGY



EXCELLENT  
OPACITY AND  
WHITENESS



LOW VOC




SUPERIOR  
WHITENESS

## AVAILABLE PACK SIZES

20LTR., 10LTR., 4.LTR., 1LTR.





# Premium **INTERIOR** **WALL PRIMER** BEST QUALITY FINISH



## PRODUCT DESCRIPTION

OCTOLUX PAINTS INTERIOR WALL PRIMER IS SPECIALLY FORMULATED PREMIUM QUALITY ACRYLIC PRIMER WITH ALKALI AND EFFLORESCENCE RESISTANCE FOR APPLICATION ON MANSORY SURFACES BEFORE TOP COAT APPLICATION.

## RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

## COVERAGE (On Smooth Primed Surface)

\*10 +/- 2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



GOOD  
COVERAGE



CRACK  
BRIDGING ABILITY



SMOOTH PAINT  
APPLICATION



OPACITY AND  
WHITENESS



LOW VOC



SUPERIOR  
WHITENESS

## AVAILABLE PACK SIZES

20LTR., 10LTR., 4.LTR., 1LTR.

# Advance **DUAL** **WALL PRIMER**

BEST QUALITY FINISH



## PRODUCT DESCRIPTION

OCTOLUX PAINTS ADVANCE DUAL WALL PRIMER IS SPECIALLY FORMULATED PREMIUM QUALITY ACRYLIC PRIMER WITH ALKALI AND EFFLORESCENCE RESISTANCE FOR APPLICATION ON MANSORY SURFACES BEFORE TOP COAT APPLICATION.

## RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

## COVERAGE (On Smooth Primed Surface)

\*10 +/- 2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



ALKALI  
RESISTANCE



GOOD SEALING  
PROPERTIES



OPACITY AND  
WHITENESS



LOW VOC

## AVAILABLE PACK SIZES

20LTR., 10LTR., 4.LTR., 1LTR.





# ACRYLIC

## PREMIUM DISTEMPER

BEST QUALITY FINISH



### PRODUCT DESCRIPTION

OCTOLUX PAINTS ACRYLIC WASHABLE DISTEMPER IS WATER BASED MANUFACTURED WITH ACRYLIC CO-POLYMER DISTEMPER FOR INTERIOR WALLS WHICH PROVIDES SMOOTH FINE EYE SOOTHING MATT FINISH TO YOUR WALLS.

### RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

### COVERAGE (On Smooth Primed Surface)

\*10 +/- 2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



EYE SOOTHING  
MATT FINISH



GOOD  
COVERAGE



GOOD  
WASHABILITY



BRIGHTER  
CLEANER SHADE



LOW VOC



ANTI  
FUNGAL

### AVAILABLE PACK SIZES

20KG., 10KG., 5KG., 2KG.

# High Performance **FLOOR COAT** PREMIUM QUALITY FINISHES



## PRODUCT DESCRIPTION

THE FIRST PRODUCT IN THE COUNTRY DESIGNED EXCLUSIVELY TO PROTECT INTERLOCK TILES, CEMENT SURFACES, WALKWAYS, DRIVEWAYS, AND TERRACE FLOORS. FLOOR COAT EMULSION COMES WITH ABRASION RESISTANCE AND HIGH ADHESION STRENGTH AND IS FORMULATED TO HANDLE VEHICULAR AND HUMAN TRAFFIC WHILE KEEPING THE FLOORS FREE FROM ALGAE AND FUNGUS GROWTH.

## RECOMMENDED USAGE

PLASTER WALLS, CONCRETE, BRICKWORK, ASBESTOS SHEETS, ETC.

## COVERAGE (On Smooth Primed Surface)

\*10 +/- 2 SQ.MT. PER LTR ( ACTUAL COVERAGE MAY VARY DEPENDING UPON THE METHOD & CONDITION OF APPLICATION AS WELL AS SURFACE POROSITY).



BRIGHTER  
CLEANER SHADE



LOW VOC



ANTI  
FUNGAL



GOOD  
COVERAGE



GOOD  
WASHABILITY

## AVAILABLE PACK SIZES

20KG., 10KG., 5KG., 2KG.



## HIGH GLOSS SYNTHETIC ENAMEL

INTERIOR & EXTERIOR



### PRODUCT DESCRIPTION

OCTOLUX PAINTS HIGH GLOSS SYNTHETIC ENAMEL IS A HIGH PERFORMANCE ENAMEL THAT COMES WITH EXCELLENT GLOSS & COVERAGE & IS RECOMMENDED FOR SUITABLY PRIMED INTERIOR AND EXTERIOR WOOD, METAL AND WALL SURFACES.

**HIGH GLOSS & RICH LAIR:** PROVIDES A SMOOTH, MIRROR-LIKE GLOSS OR SEMI-GLOSS FINISH THAT ADDS A PREMIUM LOOK TO SURFACES.

**EXCELLENT COVERAGE:** OFFERS SUPERIOR ADHESION AND HIDES IMPERFECTIONS EFFECTIVELY WITH JUST TWO COATS.

**COLOR RETENTION:** MAINTAINS ITS VIBRANT SHADE OVER TIME WITHOUT EASILY FADING OR YELLOWING

**EASY TO CLEAN:** HIGHLY STAIN-RESISTANT AND CAN WITHSTAND REPEATED WIPING, SCRUBBING, AND WASHING WITHOUT DAMAGING THE PAINT.

**GOOD FLOW & BRUSHABILITY:** ALLOWS FOR SMOOTH APPLICATION WITH MINIMAL BRUSH MARKS VISIBLE, THANKS TO ITS SOLVENT-BASED DRYING TIME.

### AVAILABLE PACK SIZES

20LTR., 10LTR., 4LTR., 1LTR., 500ML., 200ML.





HI-PERFORMANCE  
**PREMIUM  
WOOD PRIMER**



HI-PERFORMANCE  
**RED OXIDIE  
METAL PRIMER**



**AVAILABLE PACK SIZES**  
20LTR, 10LTR, 4LTR, 1LTR, 500ML, 200ML





# OCTOLUX PAINTS



a mission to **COLOR** your future...



Manufactured By:

**Jai Durga Paints & Chemicals**

Delhi Road, Industrial Area, Bhattu-125053 (India)

**TOLL FREE: 9416-92-0610**

Website: [www.octoluxpaints.com](http://www.octoluxpaints.com)

For any feedback/query/complaint contact our customer care executive  
E-mail us [info@octoluxpaints.com](mailto:info@octoluxpaints.com)

AN ISO 9001:2015 CERTIFIED COMPANY



WARNING: Imitation of Graphics is a Punishable Offence.